

SM

Notice of Allowability

Application No.

10/600,504

Examiner

Jim Vannucci

Applicant(s)

MURATA ET AL.

Art Unit

2828

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to the Application filed on June 20, 2003.
2. ☒ The allowed claim(s) is/are 1-41.
3. ☐ The drawings filed on _____ are accepted by the Examiner.
4. ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 - a) ☐ All b) ☐ Some* c) ☐ None of the:
 1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

* Certified copies not received: _____.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.
THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.

5. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
 6. ☒ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
 - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
 - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date _____.
 - (b) ☒ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date 4-6-05.
- Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
7. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

Attachment(s)

1. ☒ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☒ Information Disclosure Statements (PTO-1449 or PTO/SB/08),
Paper No./Mail Date 3-5-04
4. ☐ Examiner's Comment Regarding Requirement for Deposit
of Biological Material
5. ☐ Notice of Informal Patent Application (PTO-152)
6. ☐ Interview Summary (PTO-413),
Paper No./Mail Date _____
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other _____

James Vannucci

**JAMES VANNUCCI
PRIMARY EXAMINER**

DETAILED ACTION

Allowable Subject Matter

1. Claims 1-41 are allowed.
2. The following is an examiner's statement of reasons for allowance.

The limitations that are primarily responsible for distinguishing the claims of this application over the prior art are the limitations concerning a transformer having a positive terminal of a first side coupled to the positive output node of the driver circuit, a negative terminal of the first side coupled to the negative output node, a positive terminal of second side coupled to the positive output node, and a bias current generator coupled to a negative terminal of the second side of the transformer as recited in claims 1, 11 and 28; and the limitations concerning receiving the positive output signal at a positive terminal of a first side of a transformer and a positive terminal of a second side of the transformer, receiving the negative output signal at a negative terminal of the first side of the transformer, and providing a bias current to a negative terminal of the second side of the transformer from a bias current generator as recited in claim 23.

While driver circuits, transformers, RC networks and bias current generators are well known in the art, the recited means of connecting these elements and their functions when they are connected as recited is not known in the prior art. Proper motivation for combining references that disclose these elements is also not found in the prior art.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Drawings

3. Figure 1 should be designated by a legend such as --Prior Art-- because only that which is old is illustrated. See MPEP § 608.02(g). Corrected drawings in compliance with 37 CFR 1.121(d) are required in reply to the Office action to avoid abandonment of the application. The replacement sheet(s) should be labeled "Replacement Sheet" in the page header (as per 37 CFR 1.84(c)) so as not to obstruct any portion of the drawing figures. If the changes are not accepted by the examiner, the applicant will be notified and informed of any required corrective action in the next Office action. The objection to the drawings will not be held in abeyance.

Conclusion

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Examples of the closest art include patents to Kline et al.(5,134,428), DuBose(6,292,501), Schemmann et al.(6,711,190), Blazo(4,995,044) and Dendy et al.(3,967,159). These references disclose driver circuits, transformers, RC networks and bias current generators, but not arranged or functioning as recited.

Correspondence

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner Jim Vannucci whose phone number is (571) 272-1820.

Any inquiry of a general nature or relating to the status of this application should be directed to the Technology Center whose telephone number is (703) 308-0956.

Papers related to Technology Center 2800 applications only may be submitted to Technology Center 2800 by facsimile transmission. Any transmission not to be considered an official response must be clearly marked "DRAFT". The faxing of such papers must conform with the notice published in the Official Gazette, 1096 OG 30 (November 15, 1989). The Technology Center Fax Center number is (703) 872-9306.


James Vannucci